

# 2025 RENEGADE® X-RS®

A hard-charging, high-performance machine with the most advanced features and technology.



RENEGADE X-RS  
900 ACE TURBO R SHOWN

RENEGADE X-RS  
900 ACE TURBO R SHOWN

## // WHAT'S NEW

- 10.25 in. touchscreen display with BRP Connect and built-in GPS
- Heated trail seat
- Heated visor plug standard

## // PACKAGE HIGHLIGHTS

- REV® Gen5 platform
- High-performance KYB® Pro shock package
- Launch mode (with 10.25 in. touchscreen only)
- Smart-Shox™ semi-active suspension available
- RAS™ X front suspension
- rMotion™ X rear suspension
- Electric starter
- RS running boards
- pDrive™ clutch
- Precision rack steering system
- Forward adjustable riser
- Transparent handguards
- Open toe-hold
- Backlit multifunction handlebar controls
- Premium LED headlights
- High-performance 4-piston brake caliper with adjustable brake lever
- Low windshield with air deflectors
- 520 W magneto

### ROTAX ENGINE

	900 ACE TURBO R
Engine details	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged with intercooler
Horsepower*	180
Cylinders – Displacement	3 – 899 cc
Bore – Stroke (mm)	73 – 69.7
Fuel system	EFI
Fuel type – Octane	Premium unleaded – 91
Fuel tank (L/US gal)	36/9.5
Oil tank capacity (L/qt)	3.3/3.5

### POWERTRAIN

Drive clutch	pDrive
Driven clutch	QRS Vent
Drive sprocket pitch (mm/in.)	73/2.86

### DRY WEIGHT

Dry weight (lb)	542
-----------------	-----

### DIMENSIONS

Vehicle overall length (mm/in.)	3,038/119.6
Vehicle overall width (mm/in.)	1,211/47.8 (adjustable)
Vehicle overall height (mm/in.)	1,267/49.9
Ski stance (mm/in.)	1,090/43 (adjustable)
Available tracks (in.)	RipSaw®:
(Length x width x profile)	137 x 15 x 1.25
	Ice Ripper® XT:
	137 x 15 x 1.25
	137 x 15 x 1.5

### COLOR

Neo Yellow and Black	
Black	

### SUSPENSION

Front suspension	RAS X
Front shock	KYB® Pro 36 EA-3 KYB Pro Smart-Shox opt.
Front suspension travel (mm/in.)	243/9.6
Rear suspension	rMotion X
Center shock	KYB Pro 40 EA-3
Rear shock	KYB Pro 40 EA-3 KYB Pro Smart-Shox opt.
Rear suspension travel (mm/in.)	292/11.5

### FEATURES

Platform	REV Gen5
Headlights	Premium high-performance LED
Skis	Pilot X
Seating	Trail wide, heated
Handlebar	Standard with J-hooks/ Transparent handguards
Riser block height (mm/in.)	Adjustable 120/4.7
Starter	Electric
Reverse	Electro-mechanical
Brake system	Brembo® 4-piston with adjustable lever
Heated throttle lever/grips	Standard
Gauge type	7.2 in. digital 10.25 in. touchscreen (opt.)
Windshield	Low
Runner (in.) – Carbide (in.)	1/2 round – 4
Bumpers (front/rear)	Std/Std

## 2025 RENEGADE X-RS

## // FEATURE HIGHLIGHTS



### 1 REV Gen5 trail platform

A sleek new design that brings a whole new level of refinement, connectivity and good looks to the trails.



### 2 Smart-Shox

An industry-first, Smart-Shox semi-active suspension instantly reads terrain and rider input to automatically dial in your suspension to give you the optimal ride in any conditions.



### 3 High-performance KYB Pro shock

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



RENEGADE X-RS  
900 ACE TURBO R SHOWN



### 4 Performance 4-piston caliper

The Brembo 4X brake caliper inspired by the MXZ 600RS adds more stopping power at your fingertips with less fade.



### 5 10.25 in. color touchscreen display with BRP Connect and built-in GPS

The high-resolution infotainment system that provides an intuitive experience for riders, now with built-in GPS and maps for navigation without connecting a phone.



### 6 Heated trail seat

Narrow at the front for easier rider movement during aggressive rides. Wider and flat at the back for improved comfort over the long haul. Heated for the coldest days.



\*Observed HP measured on internal dyno test in optimal conditions. ©2024 Bombardier Recreational Products Inc., (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. Products are distributed in the USA by BRP US Inc. All other trademarks are the property of their respective owners. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at anytime to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Printed in Canada.

# 2025 RENEGADE® X®

High-performance and high-tech features for the most demanding rider.



RENEGADE X  
900 ACE TURBO SHOWN

RENEGADE X  
900 ACE TURBO R SHOWN

## // WHAT'S NEW

- 10.25 in. touchscreen display with BRP Connect and built-in GPS
- High-performance 4-piston brake caliper
- Heated trail seat
- Heated visor plug standard

## // PACKAGE HIGHLIGHTS

- REV® Gen5 platform
- High-performance KYB® shock package
- Launch mode (900 ACE Turbo R with 10.25 in. touchscreen only)
- RAS™ X front suspension
- rMotion™ X rear suspension
- Electric starter
- pDrive™ clutch
- Forward adjustable riser
- Backlit multifunction handlebar controls
- Medium windshield with air deflectors
- Premium LED headlights
- 520 W magneto
- Rotax 900 ACE Turbo with 130 HP available

### ROTAX ENGINE

	900 ACE TURBO R	900 ACE TURBO
Engine details	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged with intercooler	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged
Horsepower*	180	130
Cylinders – Displacement	3 – 899 cc	3 – 899 cc
Bore – Stroke (mm)	73 – 69.7	73 – 69.7
Fuel system	EFI	EFI
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91
Fuel tank (L/US gal)	36/9.5	36/9.5
Oil tank capacity (L/qt)	3.3/3.5	3.3/3.5

### POWERTRAIN

Drive clutch	pDrive with clickers	pDrive
Driven clutch	QRS	QRS Vent
Drive sprocket pitch (mm/in.)	73/2.86	

### DRY WEIGHT

Dry weight (lb)	531	527
-----------------	-----	-----

### DIMENSIONS

Vehicle overall length (mm/in.)	3,038/119.6
Vehicle overall width (mm/in.)	1,211/47.8 (adjustable)
Vehicle overall height (mm/in.)	1,267/49.9
Ski stance (mm/in.)	1,090/43 (adjustable)
Available tracks (in.) (Length x width x profile)	RipSaw®: 137 x 15 x 1.25 Ice Ripper® XT: 137 x 15 x 1.25 137 x 15 x 1.5

### COLOR

Catalyst Grey and Black	
Black	

### SUSPENSION

Front suspension	RAS X
Front shock	KYB® 36 Plus
Front suspension travel (mm/in.)	243/9.6
Rear suspension	rMotion X
Center shock	KYB 36 Plus
Rear shock	KYB Pro 36 EA-3
Rear suspension travel (mm/in.)	292/11.5

### FEATURES

Platform	REV Gen5
Headlights	Premium high-performance LED
Skis	Pilot™ X
Seating	Trail wide, heated
Handlebar	Standard with J-hooks
Riser block height (mm/in.)	Adjustable 120/4.7
Starter	Electric
Reverse	Electro-mechanical
Brake system	Brembo® 4-piston
Heated throttle lever/grips	Standard
Gauge type	7.2 in. digital 10.25 in. touchscreen (opt.)
Windshield	Medium
Runner (in.) – Carbide (in.)	7/16 round – 4
Bumpers (front/rear)	Std/Std

# 2025 RENEGADE X

## // FEATURE HIGHLIGHTS



### 1 REV Gen5 trail platform

A sleek new design that brings a whole new level of refinement, connectivity and good looks to the trails.



### 2 Rotax 900 ACE Turbo R engine

Now the most powerful 4-stroke engine ever offered in a Ski-Doo. Ferocious, instant acceleration and top speed through bigger fuel injectors, increased boost and optimized intake and exhaust systems. The new cable activated iTC throttle better matches a performance rider's profile while offering three driving modes.



### 3 Premium shock package

HPG Plus front and center shocks. KYB Pro 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revivable.



RENEGADE X  
900 ACE TURBO R SHOWN




### 4 rMotion X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



### 5 10.25 in. color touchscreen display with BRP Connect and built-in GPS

The high-resolution infotainment system that provides an intuitive experience for riders, now with built-in GPS and maps for navigation without connecting a phone.



### 6 Heated trail seat

Narrow at the front for easier rider movement during aggressive rides. Wider and flat at the back for improved comfort over the long haul. Heated for the coldest days.

**ski-doo**



# 2025

# RENEGADE® ADRENALINE®

For the experienced trail rider who wants a longer track with great traction to bridge bumps with dynamic 4-stroke engine options.



RENEGADE® ADRENALINE 900 ACE SHOWN

RENEGADE® ADRENALINE 900 ACE TURBO R SHOWN

## // PACKAGE HIGHLIGHTS

- REV® Gen5 platform
- High-quality KYB® 36 shock package
- pDrive™ clutch
- 4.5 in. digital display
- rMotion™ X rear suspension
- Electric starter
- Glove box with 4 L/1 gal of storage
- Pilot™ X skis
- Medium windshield with air deflectors
- LED headlights
- 520 W magneto

ROTAX ENGINE	900 ACE™ TURBO R	900 ACE TURBO	900 ACE
Engine details	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged with intercooler	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower*	180	130	95
Cylinders - Displacement	3 - 899 cc	3 - 899 cc	3 - 899 cc
Bore - Stroke (mm)	73 - 69.7	73 - 69.7	73 - 69.7
Fuel system	EFI	EFI	EFI
Fuel type - Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded - 87
Fuel tank [L/US gal]	36/9.5	36/9.5	36/9.5
Oil tank capacity [L/qt]	3.3/3.5	3.3/3.5	3.3/3.5
<b>POWERTRAIN</b>			
Drive clutch	pDrive	pDrive	pDrive
Driven clutch	QRS Vent	QRS Vent	QRS
Drive sprocket pitch [mm/in.]		73/2.86	
<b>DRY WEIGHT</b>			
Dry weight [lb]	531	528	502
<b>DIMENSIONS</b>			
Vehicle overall length [mm/in.]		3,038/119.6	
Vehicle overall width [mm/in.]		1,211/47.8 (adjustable)	
Vehicle overall height [mm/in.]		1,267/49.9	
Ski stance [mm/in.]		1,090/43 (adjustable)	
Available tracks [in.] [Length x width x profile]		RipSaw® 137 x 15 x 1.25	

## COLOR

Monument Grey and Black

Black

## SUSPENSION


Front suspension	RAS™ X
Front shock	KYB® 36
Front suspension travel [mm/in.]	235/9.3
Rear suspension	rMotion X
Center shock	KYB 36
Rear shock	KYB 36
Rear suspension travel [mm/in.]	292/11.5

## FEATURES

Platform	REV Gen5
Headlights	High-performance LED
Skis	Pilot X
Seating	Trail wide
Handlebar	Standard with J-hooks
Riser block height [mm/in.]	120/4.7
Starter	Electric
Reverse	Mechanical (900 ACE/900 ACE Turbo) Electro-mechanical (900 ACE Turbo R)
Brake system	Brembo®
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital
Windshield	Medium
Runner [in.] - Carbide [in.]	3/8 square - 4
Bumpers (front/rear)	Std/Std

# 2025 RENEGADE ADRENALINE

## // FEATURE HIGHLIGHTS



### 1 REV Gen5 trail platform

A sleek new design that brings a whole new level of refinement, connectivity and good looks to the trails.



### 2 Rotax 900 ACE Turbo R engine

Now the most powerful 4-stroke engine ever offered in a Ski-Doo. Ferocious, instant acceleration and top speed through bigger fuel injectors, increased boost and optimized intake and exhaust systems. The new cable activated iTC throttle better matches a performance rider's profile while offering three driving modes.



### 3 rMotion X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



RENEGADE ADRENALINE 900 ACE TURBO R SHOWN



### 4 RAS X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



### 5 High-quality KYB shock package

Extremely capable high-pressure gas shocks by KYB®.



### 6 Pilot X skis

Completely redesigned skis to match flawlessly with the most ride-compliant suspensions in the industry. Offering more positive ski traction and reduced darting for confident performance.

**ski-doo**



\*Observed HP measured on internal dyno test in optimal conditions. ©2024 Bombardier Recreational Products Inc., [BRP]. All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. Products are distributed in the USA by BRP US Inc. †All other trademarks are the property of their respective owners. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at anytime to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Printed in Canada.

# 2025

# RENEGADE® ADRENALINE® WITH ENDURO™ PACKAGE

Adventure-ready with top-tier technology, comfort and performance.



RENEGADE ADRENALINE WITH ENDURO PACKAGE  
900 ACE TURBO R SHOWN

## // WHAT'S NEW

- 10.25 in. touchscreen display with BRP Connect and built-in GPS

## // PACKAGE HIGHLIGHTS

- REV® Gen5 platform
- Five Rotax® engines available
- rMotion™ X rear suspension with Air Control Suspension (ACS)
- RAS™ X front suspension
- Heated visor plug standard
- pDrive™ clutch
- Studded track standard
- Electric starter
- Glove box with 4 L/1 gal of storage
- Heated trail seat
- Medium windshield with air deflectors
- Heavy-duty front bumper
- Pilot™ TX adjustable skis
- Premium LED headlights
- 520 W magneto with Rotax ACE™ engines

ROTAX ENGINE	850 E-TEC®	600R E-TEC	900 ACE TURBO R	900 ACE TURBO	900 ACE
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged with intercooler	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower*	165	125	180	130	95
Cylinders - Displacement	2 849 cc	2 599.4 cc	3 899 cc	3 899 cc	3 899 cc
Bore - Stroke (mm)	82 - 80.4	72.3 - 73	73 - 69.7	73 - 69.7	73 - 69.7
Fuel system	E-TEC direct injection with additional booster injectors	E-TEC direct injection	EFI	EFI	EFI
Fuel type	Premium unleaded	Premium unleaded	Premium unleaded	Premium unleaded	Regular unleaded
Octane	91	91	91	91	87
Fuel tank (L/US gal)	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5
Oil tank capacity (L/qt)	3.4/3.6	3.4/3.6	3.3/3.5	3.3/3.5	3.3/3.5

POWERTRAIN	850 E-TEC®	600R E-TEC	900 ACE TURBO R	900 ACE TURBO	900 ACE
Drive clutch	pDrive with clickers	pDrive with clickers	pDrive	pDrive	pDrive
Driven clutch	QRS Vent	QRS	QRS Vent	QRS Vent	QRS
Drive sprocket pitch (mm/in.)	73/2.86	73/2.86	73/2.86	73/2.86	73/2.86

DRY WEIGHT	850 E-TEC®	600R E-TEC	900 ACE TURBO R	900 ACE TURBO	900 ACE
Dry weight (lb)	516	507	561	557	531

DIMENSIONS	850 E-TEC®	600R E-TEC	900 ACE TURBO R	900 ACE TURBO	900 ACE
Vehicle overall length (mm/in.)	3,038/119.6				
Vehicle overall width (mm/in.)	1,211/47.8 (adjustable)				
Vehicle overall height (mm/in.)	1,331/52.4				
Ski stance (mm/in.)	1,090/43 (adjustable)				
Available tracks (in.) (Length x width x profile)	Ice Ripper® XT: 137 x 15 x 1.25				

SUSPENSION	850 E-TEC®	600R E-TEC	900 ACE TURBO R	900 ACE TURBO	900 ACE
Front suspension	RAS X				
Front shock	KYB® 36				
Front suspension travel (mm/in.)	235/9.3				
Rear suspension	rMotion X				
Center shock	KYB 36				
Rear shock	ACS (Air Control Suspension)				
Rear suspension travel (mm/in.)	276/10.9				

COLOR
Black and Spartan Red

FEATURES	
Platform	REV® Gen5
Headlights	Premium high-performance LED
Skis	Pilot TX
Seating	Trail wide, heated
Handlebar	Standard with J-hooks
Riser block height (mm/in.)	120/4.7
Starter	Electric
Reverse	RER™ (E-TEC engines) Electro-mechanical (ACE engines)
Brake system	Brembo®
Heated throttle lever/grips	Standard
Gauge type	10.25 in. touchscreen
Windshield	Medium
Runner (in.) - Carbide (in.)	Adjustable blade 1/4 - 4
Bumpers (front/rear)	Heavy-duty/Std

# 2025 RENEGADE ADRENALINE WITH ENDURO PACKAGE

## // FEATURE HIGHLIGHTS



### 1 Rotax 850 E-TEC and 900 ACE Turbo R engines

Two incredibly powerful and reliable options, offering top performance for the most demanding riders.




### 2 rMotion X rear suspension with Air Control Shock (ACS)

rMotion X redefines big-bump capability on the harshest terrain, while improving overall handling thanks to a longer front arm with adjustable-angle design. Combined with ACS and its on-the-fly preload settings, you have the best of both handling and adjustable comfort.




### 3 RAS X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



RENEGADE ADRENALINE WITH ENDURO PACKAGE  
900 ACE TURBO R SHOWN



### 4 Standard studded track

1.25 in. Ice Ripper XT direct from the factory with carbide studs for added grip.



### 5 10.25 in. color touchscreen display with BRP Connect and built-in GPS

The high-resolution infotainment system that provides an intuitive experience for riders, now with built-in GPS and maps for navigation without connecting a phone.



### 6 Pilot TX skis

Redesigned with a longer front keel to provide more positive ski traction and less darting, this ski lets riders dial in their preferred amount of ski bite.



\*Observed HP measured on internal dyno test in optimal conditions. ©2024 Bombardier Recreational Products Inc., (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. Products are distributed in the USA by BRP US Inc. †All other trademarks are the property of their respective owners. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at anytime to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Printed in Canada.

# 2025 RENEGADE® SPORT

Value-oriented with exceptional trail handling, bump capability and reliable engine.



RENEGADE SPORT  
600 ACE SHOWN

## // PACKAGE HIGHLIGHTS

- KYB® 36 rear shock
- 4.5 in. digital display
- RAS™ X front suspension
- SC¹-5M rear suspension
- Standard electric start
- Glove box with 4 L/1 gal of storage
- Low windshield
- D.E.S.S.™ key (600 ACE)
- Brembo® brake
- Ergo-step side panels
- U-shaped aluminum handlebar with integrated J-hooks
- Pilot™ 5.7 skis
- 1.25 in. RipSaw® track
- 520 W magneto

ROTAX ENGINE	600 ACE
Engine details	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower*	62
Cylinders – Displacement	2 – 600 cc
Bore – Stroke (mm)	73 – 69.7
Fuel system	EFI
Fuel type – Octane	Regular unleaded – 87
Fuel tank (L/US gal)	36/9.5
Oil tank capacity (L/qt)	2.1/2.2

POWERTRAIN	
Drive clutch	eDrive 2
Driven clutch	QRS
Drive sprocket pitch (mm/in.)	73/2.86

DRY WEIGHT	
Dry weight (lb)	468

DIMENSIONS	
Vehicle overall length (mm/in.)	3,038/119.6
Vehicle overall width (mm/in.)	1,217/47.9
Vehicle overall height (mm/in.)	1,267/49.9
Ski stance (mm/in.)	1,090/43 (adjustable)
Available tracks (in.)	RipSaw:
(Length x width x profile)	137 x 15 x 1.25

COLOR	
Neo Yellow and Black	

SUSPENSION	
Front suspension	RAS X
Front shock	Motion Control
Front suspension travel (mm/in.)	235/9.3
Rear suspension	SC-5M
Center shock	Motion Control
Rear shock	KYB 36
Rear suspension travel (mm/in.)	245/9.6

FEATURES	
Platform	REV® Gen4
Headlights	Halogen
Skis	Pilot 5.7
Seating	Trail narrow
Handlebar	Standard with J-hooks
Riser block height (mm/in.)	120/4.7
Starter	Electric
Reverse	Mechanical
Brake system	Brembo
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital
Windshield	Low
Runner (in.) – Carbide (in.)	3/8 square – 4
Bumpers (front/rear)	Std/Std

## // FEATURE HIGHLIGHTS



### 1 Rotax 600 ACE engine

The industry's fuel economy leader at up to 29 mpg (8 L/100 km)\*\* and extremely low maintenance. In-line EFI four-stroke twin with 62 hp\*. Includes Intelligent Throttle Control (ITC) throttle-by-wire technology with shift-on-the-fly driving modes (Sport, Standard, ECO) and optional finger throttle operation.



### 2 KYB 36 rear shock

High-quality KYB high-pressure gas shock for excellent performance and reliability.

(See website for image)

### 3 Electric start

Saves time and energy, adding immense value for the rider.



RENEGADE SPORT  
600 ACE SHOWN



### 4 Ergo-step side panels

The design offers natural progression to three positions for different cornering styles, including a new extreme-forward position.



### 5 RAS X front suspension

Flatter cornering and precision handling in all conditions. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



### 6 Pilot 5.7 skis

Deliver outstanding grip and bite in corners with virtually no darting.

**ski-doo**



\*Observed HP metric based on internal dyno test in optimal conditions. \*\*Data based on internal engineering trail testing in ECO mode. ©2024 Bombardier Recreational Products Inc., (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. Products are distributed in the USA by BRP US Inc. All other trademarks are the property of their respective owners. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at anytime to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Printed in Canada.